

NFRC Certification

West Elite DH No Reinforcement		U-Factor	SHGC	Vis Transmit	CRF	Energy Star
Clear	No Grid	0.45	0.57	0.60	45	0
Clear	With Grid	0.45	0.51	0.53	45	0
Low-E2	No Grid	0.33	0.27	0.51	54	SC/S
Low-E2	With Grid	0.33	0.25	0.45	54	SC/S
Low-E240	No Grid	0.34	0.19	0.29	54	SC/S
Low-E240	With Grid	0.34	0.17	0.26	54	SC/S
Low-E366	No Grid	0.33	0.20	0.47	54	SC/S
Low-E366	With Grid	0.33	0.18	0.42	54	SC/S
Low-E2/Argon	No Grid	0.30	0.27	0.51	57	ALL ZONES
Low-E2/Argon	With Grid	0.30	0.24	0.45	57	ALL ZONES
Low-E240/Argon	No Grid	0.30	0.19	0.29	57	ALL ZONES
Low-E240/Argon	With Grid	0.30	0.17	0.26	57	ALL ZONES
Low-E3-366/Argon	No Grid	0.29	0.20	0.47	58	ALL ZONES
Low-E3-366/Argon	With Grid	0.29	0.18	0.42	58	ALL ZONES
E2/Air/Clr/Air/Clr	No Grid	0.29	0.26	0.48	61	ALL ZONES
E2/Air/Clr/Air/Clr	With Grid	0.31	0.23	0.42	61	NC/SC/S
E240/Air/Clr/Air/Clr	No Grid	0.29	0.18	0.27	62	ALL ZONES
E240/Air/Clr/Air/Clr	With Grid	0.31	0.16	0.24	62	ALL ZONES
E366/Arg/Clr/Arg/Clr	No Grid	0.29	0.19	0.44	63	ALL ZONES
E366/Arg/Clr/Arg/Clr	With Grid	0.31	0.17	0.39	63	NC/SC/S
E2/Air/Clr/Air/E2	No Grid	0.25	0.23	0.40	66	ALL ZONES
E2/Air/Clr/Air/E2	With Grid	0.26	0.21	0.36	66	ALL ZONES
E240/Air/Clr/Air/E240	No Grid	0.25	0.16	0.13	66	ALL ZONES
E240/Air/Clr/Air/E240	With Grid	0.26	0.14	0.12	66	ALL ZONES
E366/Air/Clr/Air/E366	No Grid	0.25	0.18	0.35	66	ALL ZONES
E366/Air/Clr/Air/E366	With Grid	0.26	0.16	0.31	66	ALL ZONES

NFRC Certification

E2/Arg/Clr/Arg/Clr	No Grid	0.26	0.25	0.48	65	ALL ZONES
E2/Arg/Clr/Arg/Clr	With Grid	0.28	0.23	0.42	65	ALL ZONES
E240/Arg/Clr/Arg/Clr	No Grid	0.26	0.18	0.27	65	ALL ZONES
E240/Arg/Clr/Arg/Clr	With Grid	0.28	0.16	0.24	65	ALL ZONES
E366/Arg/Clr/Arg/Clr	No Grid	0.25	0.19	0.44	66	ALL ZONES
E366/Arg/Clr/Arg/Clr	With Grid	0.27	0.17	0.39	66	ALL ZONES
E2/Arg/Clr/Arg/E2	No Grid	0.22	0.23	0.40	68	ALL ZONES
E2/ Arg/Clr/Arg/E2	With Grid	0.23	0.21	0.36	68	ALL ZONES
E240/Arg/Clr/Arg/E240	No Grid	0.22	0.16	0.13	68	ALL ZONES
E240/Arg/Clr/Arg/E240	With Grid	0.23	0.14	0.12	68	ALL ZONES
E366/Arg/Clr/Arg/E366	No Grid	0.21	0.18	0.35	68	ALL ZONES
E366/Arg/Clr/Arg/E366	With Grid	0.22	0.16	0.31	68	ALL ZONES
With Reinforcement						
Clear	No Grid	0.47	0.57	0.60	44	0
Clear	With Grid	0.47	0.51	0.53	44	0
Low-E2	No Grid	0.35	0.27	0.51	53	SC/S
Low-E2	With Grid	0.35	0.25	0.45	53	SC/S
Low-E240	No Grid	0.35	0.19	0.29	53	SC/S
Low-E240	With Grid	0.35	0.17	0.26	53	SC/S
Low-E366	No Grid	0.34	0.20	0.47	53	SC/S
Low-E366	With Grid	0.34	0.18	0.42	53	SC/S
Low-E2/Argon	No Grid	0.31	0.27	0.51	56	NC/SC/S
Low-E2/Argon	With Grid	0.31	0.24	0.45	56	NC/SC/S
Low-E240/Argon	No Grid	0.32	0.19	0.29	56	NC/SC/S
Low-E240/Argon	With Grid	0.32	0.17	0.26	56	NC/SC/S
Low-E3-366/Argon	No Grid	0.31	0.20	0.47	56	NC/SC/S
Low-E3-366/Argon	With Grid	0.31	0.18	0.42	56	NC/SC/S

NFRC Certification

N = Northern Climate Zone
N/C = North/Central Climate Zone
S/C = South/Central Climate Zone
S = Southern Climate Zone

